

Readmission Prevention Management Program

A reliable solution for managing the problems and costs associated with hospital readmissions

November 2021



avixena

population health solutions

Population Health Made Simple

Compiled and edited by:
Mehrdad Shafa, MD, MMM, DFACMQ
Copyright ©2021 avixena LLC. All rights reserved

Readmission Prevention Management Program

Introduction

I first realized the magnitude and impact of readmissions on healthcare delivery systems in 1982 when I served as the physician advisor for utilization review at a community hospital in Michigan. I attended weekly meetings with the Social Services staff, VNA nurse and the charge nurse to safely discharge patients. There was not much support from the medical staff, as the activity was perceived as unnecessary, but in retrospect this practice was ahead of its time.

In 1983, I assisted the hospital with implementation of a new program named Inpatient Prospective Payment System (also known as the DRGs), which at that time was regarded as nebulous and a nuisance by many practicing physicians. The DRGs were thought to be bad for both the patients and their physicians because it allowed the government to dictate how much patient care was to be delivered and the means of doing so. The DRG program was the first major change in Medicare since its inception 18 years before, but it had almost no provisions for readmissions. Growth of the managed care industry in the early 1990s brought attention to readmissions in terms of managing costs. In the last decade, readmission rates have become a performance measure and with healthcare reform, it became a part of the law.

I have followed the trends and issues associated with readmissions over the past 30 years. This whitepaper document is a compilation of some of the best articles available that are related to readmissions and has been regularly updated through the years. It is intended to provide an accurate and comprehensive picture that represents different perspectives, examines policy issues, identifies best practices and offers possible solutions to manage readmissions. The last part describes a new groundbreaking and innovative approach to readmissions by avixena Population Health Solutions, LLC.

National Landscape

Reducing hospital readmission rates has captured the imagination of US policymakers because readmissions are common, costly and (at least in theory) a reasonable fraction of them should be preventable. Policymakers therefore believe that reducing readmission rates represents a unique opportunity to simultaneously improve quality of care and reduce costs. As part of the Affordable Care Act (ACA), Congress directed the Centers for Medicare and Medicaid Services (CMS) to penalize hospitals with “worse than expected” 30-day readmission rates. This part of the ACA has motivated hospitals, health systems, professional societies and independent organizations to invest substantial resources into finding and implementing solutions for the “readmissions problem.”

Background

Nearly one-fifth of all Medicare beneficiaries - roughly 2.5 million per year - who are discharged from a hospital are readmitted within 30 days, according to the Medicare Payment Advisory commission (MedPAC). The issue of avoidable, preventable or unnecessary (APU) hospital readmissions is now front and center in the national conversation about the quality of health care. The APU readmissions are a strong indicator of a fragmented health care system that too often leaves discharged patients confused about how to care for themselves at home, follow their physician’s instructions and get the necessary follow-up care.

Definitions:

- Readmission - An all-cause admission to an acute care hospital within 30 days of a discharge from the same or another hospital for the same or a different diagnosis.
- Planned Readmission - An intentional readmission within 30 days of discharge from an acute care hospital that is scheduled as part of the patient’s plan of care (e.g., staged interventions, multiple surgeries).

Classification of Readmissions:

	Unplanned Readmission	Planned Readmission
Unrelated to the Initial Admission	An unplanned readmission for which the reason for readmission is not related to the reason for the initial admission.	A planned readmission for which the reason for readmission is not related to the reason for the initial admission.
Related to the Initial Admission	An unplanned readmission for which the reason for readmission is related to the reason for the initial admission.	A planned readmission for which the reason for readmission is related to the reason for the initial admission.

According to AHRQ 90% of readmissions within 30 days appear to be unplanned, the result of clinical deterioration, and 75% of readmissions are preventable (MedPAC).

Not all readmissions are included; CMS excludes the following categories:

- Patients who are not enrolled in Medicare Fee-For-Service (FFS) 30-days post-discharge
- Patients who expire in the hospital
- Patients who leave against medical advice
- Patients younger than age 65
- Planned readmissions and transfers to other facilities

It is emphasized that it is not logical to expect a readmission rate of zero because planned or elective readmissions are an integral part of care. However, efforts should be directed at unplanned readmissions that are related to the initial stay which likely will offer the best opportunity for savings and care improvements.

Financial Impact

Readmissions come with a hefty price tag in a world where health systems often do not have resources to spare:

- Inpatient care accounts for 37% of Medicare spending and readmissions contribute significantly to that cost.
- In 2013, there were approximately more than 4 million readmissions in the US and they were associated with about \$41.3 Billion in hospital costs. Medicare readmission costs in 2015 were \$26 Billion.
- Medicare's average national hospital readmissions rate has remained steady over time at approximately 17.3%.
- 4% of Medicare beneficiaries have two or more readmissions within 30 days.
- Readmissions cost more than the initial (index) admissions. In 2013, the average cost was \$3,400 higher for private insurance, \$2,800 more for Medicaid, \$1,000 more for the uninsured and \$700 more for Medicare readmissions.
- About 6% of all discharged patients are treated in an emergency department (ED) within 30 days of a hospital discharge at an average cost of more than \$1,900.
- Average readmission penalty in 2017 is \$202,000 which is usually three to four times higher than what CMS paid the hospitals for quality improvement incentives.
- The problem cuts across all lines of business: Medicare, Medicaid, Commercial payers and the Uninsured.
- Readmission rate for inpatient psychiatric facilities is 15% within 30 days, 18.4% within 60 days, and 31% within the same calendar year.
- Readmission rate for Pediatric population (≤ 20 years) is around 12%.

It should also be noted that State Medicaid Agencies are now required by CMS to implement payment reform initiatives and as such, many State Medicaid Agencies are now mandating their managed Medicaid contractors to implement risk-based programs. Readmission prevention is the most widely used of these initiatives.

Commercial payers have also begun implementation of readmission programs and the major national carriers' contracts now routinely include provisions for readmission prevention.

Accountable Care Organizations (ACOs) and large self-funded employer coalitions are increasingly using readmission prevention as a primary cost containment tool.

Finally, there has been a recent wave of Pediatric ACOs and Clinically Integrated Organizations (CIOs) that have implemented or are in the process of implementing readmission prevention in their most recent contracts with Children’s hospitals.

Table-1 Rate of 30-day All-cause Readmissions by Expected Payer and Patient Age Group, 2009 and 2013 (Source AHRQ)

Expected payer and age group ^a	Readmission rate			Number of readmissions (thousands)		
	2009	2013	Percentage change, 2009–2013	2009	2013	Percentage change, 2009–2013
Medicare						
Total ^b	18.1	17.3	–4.8	2,581	2,427	–6.0
Aged 21–64 years	21.5	21.2	–1.4	608	614	1.0
Aged 65 years and above	17.3	16.2	–6.1	1,970	1,810	–8.1
Medicaid						
Total	13.3	13.7	2.6	784	769	–1.9
Nonmaternal pediatric, aged 1–20 years	11.1	11.9	8.1	111	105	–5.3
Nonmaternal adults, aged 21–44 years	18.9	19.2	1.7	233	232	–0.4
Nonmaternal adults, aged 45–64 years	21.8	21.6	–0.9	334	341	2.1
Maternal, any age	5.0	4.6	–8.5	106	90	–15.4
Private						
Total	8.7	8.6	–1.2	765	643	–15.9
Nonmaternal pediatric, aged 1–20 years	9.4	10.8	14.9	68	63	–6.0
Nonmaternal adults, aged 21–44 years	9.4	9.9	6.2	182	151	–16.8
Nonmaternal adults, aged 45–64 years	10.9	10.8	–1.0	445	372	–16.4
Maternal, any age	3.5	3.0	–15.3	72	57	–20.5
Uninsured						
Total	10.2	11.1	8.9	167	185	10.6
Nonmaternal pediatric, aged 1–20 years	6.1	7.4	22.0	6	5	–11.6
Nonmaternal adults, aged 21–44 years	9.8	11.1	13.9	74	83	12.9
Nonmaternal adults, aged 45–64 years	11.9	12.2	2.1	83	93	11.0
Maternal, any age	4.7	4.2	–9.3	4	3	–9.7

Table 2- Average Costs of 30-day Admissions and All-cause Readmissions by Expected Payer and Age Group, 2013 (Source AHRQ)

Expected payer and age group ^a	2013			
	Average cost of index admission, \$	Average cost of readmission, \$	Marginal difference in cost of readmission, \$	Change in cost of readmission, %
Medicare				
Total ^b	13,100	13,800	700	5.3
Aged 21–64 years	12,900	13,600	700	5.4
Aged 65 years and above	13,100	13,800	700	5.3
Medicaid				
Total	9,500	12,300	2,800	29.5
Nonmaternal pediatric, aged 1–20 years	11,300	15,600	4,300	38.1
Nonmaternal adults, aged 21–44 years	11,000	11,500	500	4.5
Nonmaternal adults, aged 45–64 years	13,400	13,300	–100	–0.7
Maternal, any age	4,700	6,400	1,700	36.2
Private				
Total	10,800	14,200	3,400	31.5
Nonmaternal pediatric, aged 1–20 years	10,600	14,700	4,100	38.7
Nonmaternal adults, aged 21–44 years	11,100	13,200	2,100	18.9
Nonmaternal adults, aged 45–64 years	14,100	15,700	1,600	11.3
Maternal, any age	4,700	6,900	2,200	46.8
Uninsured				
Total	9,100	10,100	1,000	11.0
Nonmaternal pediatric, aged 1–20 years	7,500	9,200	1,700	22.7
Nonmaternal adults, aged 21–44 years	8,100	8,600	500	6.2
Nonmaternal adults, aged 45–64 years	10,800	11,700	900	8.3
Maternal, any age	4,200	6,100	1,900	45.2

Table-3 Admission Costs by Payer - 2014

The National average cost/admission	\$9,700
Medicare costs for aggregate inpatient care	\$375.9 Billion
Average Pediatric (<=20 years) cost/admission	\$9,800
Average cost of inpatient mental health admission	\$7,114

Table-4 Average Dollar Cost per Inpatient Day Across the US - 2014

State	State/Local Government Hospitals	Nonprofit Hospitals	For-profit Hospitals	State	State/Local Government Hospitals	Nonprofit Hospitals	For-profit Hospitals
United States	1974	2346	1798	Missouri	1603	2363	1975
Alabama	1448	1671	1349	Montana	645	1379	2439
Alaska	1317	2581	2735	Nebraska	741	1984	1582
Arizona	2134	2581	1965	Nevada	2036	2311	1665
Arkansas	1558	1694	1498	New Hampshire	NA	2535	1939
California	2774	3533	2060	New Jersey	4656	2553	1453
Colorado	2119	2896	2631	New Mexico	1514	2076	1982
Connecticut	3558	2394	2373	New York	2478	2324	NA
Delaware	NA	2761	1400	North Carolina	1854	1976	1606
District of	NA	2781	2111	North Dakota	NA	1717	4023
Florida	2055	2265	1612	Ohio	2469	2521	2363
Georgia	818	1858	1612	Oklahoma	1325	1806	1861
Hawaii	1328	2563	NA	Oregon	3271	3381	2652
Idaho	1642	2230	2183	Pennsylvania	686	2306	1742
Illinois	3128	2373	1567	Rhode Island	NA	2725	1808
Indiana	1778	2385	2240	South Carolina	2048	2047	1657
Iowa	1401	1469	1561	South Dakota	434	1321	2806
Kansas	1157	1764	1896	Tennessee	1371	1900	1633
Kentucky	1922	1793	1487	Texas	2773	2401	1816
Louisiana	1715	1799	1767	Utah	2989	2856	2295
Maine	1514	2371	825	Vermont	NA	2033	NA
Maryland	NA	2512	1024	Virginia	2819	1753	1879
Massachusetts	1821	2862	1812	Washington	3003	3317	2642
Michigan	1372	2190	2070	West Virginia	760	1685	1194
Minnesota	1250	2298	NA	Wisconsin	2108	2138	2309
Mississippi	1153	1408	1942	Wyoming	1227	1595	2158

Table 5-The Increase in Hospital Cost of Care Per Day From 2013 - 2014

US Hospitals	2013	2014	Increase
State/local government hospitals	\$1,878	\$1974	5.1%
Non-profit hospitals	\$2,289	\$2346	2.5%
For-profit hospitals	\$1,791	\$1798	0%

These figures indicate progress in cost containment: In 2014, nonprofit hospitals saw an increase of 2.5% compared to 8.8% in 2013, and State/local government hospitals saw an increase of 5.1% compared to 11.2% in 2013.

Table-6 Average Dollar Cost per Inpatient Day Across the US – 2018

State	State/Local Government Hospitals	Nonprofit Hospitals	For-profit Hospitals	State	State/Local Government Hospitals	Nonprofit Hospitals	For-profit Hospitals
United States	2,260	2,653	2,093	Missouri	1,721	2,558	2,023
Alabama	1,453	1,731	1,561	Montana	600	1,567	2,631
Alaska	1,160	2,353	3,052	Nebraska	1,137	2,244	3,040
Arizona	2,371	2,854	2,220	Nevada	2,710	2,130	1,799
Arkansas	1,205	1,817	1,830	New Hampshire	NA	2,679	2,121
California	3,269	3,879	2,392	New Jersey	NA	2,879	1,918
Colorado	2,486	3,365	2,942	New Mexico	3,001	3,001	2,476
Connecticut	4,160	2,902	NA	New York	2,919	2,869	NA
Delaware	NA	3,061	1,062	North Carolina	2,112	2,334	1,705
District of	NA	3,674	2,548	North Dakota	NA	1,820	5,326
Florida	1953	2,495	1,867	Ohio	2,914	2,842	2,351
Georgia	822	2,061	1,937	Oklahoma	1,515	2,011	2,290
Hawaii	1,619	2,851	NA	Oregon	3,845	3,380	3,053
Idaho	1,930	3,819	3,148	Pennsylvania	820	3,380	3,053
Illinois	2,892	2,650	2,013	Rhode Island	NA	2,857	2,161
Indiana	1,798	2,827	2,548	South Carolina	2,481	2,049	1,625
Iowa	1,635	1,578	1,571	South Dakota	496	1,550	4,114
Kansas	1,757	1,983	2,149	Tennessee	1,709	2,345	1,986
Kentucky	2,237	1,915	1,909	Texas	3,112	2,750	2,130
Louisiana	1,962	2,020	2,179	Utah	3,002	3,053	2,593
Maine	1,541	2,688	1,126	Vermont	NA	2,633	NA
Maryland	NA	2,821	1,338	Virginia	3,496	1,943	1,866
Massachusetts	1,976	3,228	1,967	Washington	3,514	3,608	3,031
Michigan	1,216	2,463	2,994	West Virginia	1,082	1,994	1,261
Minnesota	1,560	2,535	NA	Wisconsin	3,072	2,518	2,830
Mississippi	1,260	1,385	1,172	Wyoming	1,180	3,499	2,740

According to 2014 Health Care Cost and Utilization Report, costs of inpatient care from 2012 to 2014 increased 4.4% to 6.8% each year, and this resulted in the average price paid per inpatient care to increase from \$16,946 in 2012 to \$18,728 in 2014.

Accountable Care Act and Readmissions

Section 3025 of the ACA outlines the details of the hospital readmission reduction program (HRRP) which limits payments to hospitals with excessive Medicare readmissions. The HRRP provides a financial incentive to hospitals to lower readmission rates. Effective Oct. 1, 2012, CMS began penalizing hospitals for what it determined to be excessive avoidable readmissions (14%≥). The penalties are grounded in the belief that clinicians

should improve transition of care and ensure that patients and families are educated about their care before they leave the hospital. Hospitals are also held accountable for working with patients, vendors and community providers to improve patient care *after* patients have left the hospital.

The HRRP does not apply to all conditions but rather focuses on specific disease conditions cited in the 2007 "Report to Congress: Promoting Better Efficiency in Medicare." MedPAC identified seven conditions and procedures that accounted for 30% of potentially preventable readmissions: Acute Myocardial Infarction (MI), Coronary Artery Bypass Grafting (CABG) surgery, Chronic Heart Failure (CHF), percutaneous transluminal coronary angioplasty (PTCA) and other vascular procedures, Chronic Obstructive Pulmonary Disease (COPD) and pneumonia. In FY 2015, the penalties were expanded to also include elective total hip arthroplasty/total knee arthroplasty.

It should be noted that the MedPAC report discussed only 30% of potentially preventable readmissions, thereby creating the possibility of addressing the remaining 70% in the future.

Evidence of Improvement

MedPAC’s June 2013 Report to Congress indicated that, at a national level, all-cause readmissions for the three reported conditions had a larger decrease in readmissions over the three-year measurement period than for all conditions, suggesting a strong connection between public reporting and implementation of the HRRP. The results tell a compelling story that underlies the adage that, “what gets measured gets attention.” But nonetheless, despite the decrease, the readmission rates remain stubbornly high.

Table 7 - Readmission Rates for the Top Three Conditions



The CMS had hoped that linking financial incentives to public reporting and standardized quality metrics would drive improvement in patient outcomes and reduce unnecessary costs to the system. However, latest figures indicate that from 2010 to 2015 readmission rate dropped from 19.5% to 17.7% across the US. It should be noted that this 1.8% actual reduction ($19.5\% - 17.7\% = 1.8\%$) has been inappropriately reported as a 10% reduction ($1.8\% / 19.5\% = 9.2\%$), and a success. **Again, on the contrary, this clearly indicates that many of the interventions currently in place to curb readmissions are ineffective.**

Unfortunately, too much of the conversation of late has turned to whether the penalties for excessive readmissions treat hospitals fairly, whether hospitals should be held accountable for issues patients face after discharge, and whether the readmission rate is even a valid measure of quality. The debate has grown particularly loud as the readmission penalties increased from 1% to 2% and now to a maximum of 3%, as directed by the ACA.

While the news about the increased penalties drew a great deal of attention, the fact is the average hospital was fined less in the second year of the program than in the first and that overall, the national total was \$53 million less despite the 2% maximum penalty. This meant some hospitals were making some progress. It may also have indicated that patients were getting better care and as a result, fewer of them were revolving back through the hospital door. This is as it should be; going to the hospital should be a last resort. Hospitals are a costly, and at times even dangerous, venue for care.

Readmission Penalty Expansion in 2017

In 2017 the CMS released a slew of revisions how it will pay hospitals in its fiscal 2017 (which began in October 2016). The rule applied to about 3,348 acute-care hospitals. Under those changes, thousands of hospitals saw an increase in penalties for 30-day readmissions. Those penalties were estimated around \$538 million or an increase of about \$108 million over the previous year. The CMS estimated that it would penalize 2,588 (69%) hospitals in 2017. It did so by reducing Medicare payments to hospitals whose readmission ratios exceeded the national average, although it limits those penalties to 3%.

Driving the anticipated increase in penalties for fiscal 2017 were changes in how the CMS calculated readmissions for the selected diagnoses, as well as the procedures for which hospitals can be penalized for readmissions within 30 days.

For fiscal 2022, penalties for hospitals were calculated using readmission rates for those six episodes from July 1, 2017, through December 30, 2019. Out of 5,267 hospitals in the country, Congress has exempted 2,176 from the threat of penalties, either because they are critical access hospitals - defined as the only inpatient facility in an area - or psychiatric, children, veterans,

rehabilitation or long-term care hospitals . According to an analysis by Kaiser Health News, 2499 (82%) of the 3,046 hospitals CMS evaluated were assessed a penalty. As a result, CMS will cut payments to the penalized hospitals by as much as 3% for each Medicare admission during fiscal year 2022. Thirty-nine hospitals were hit with the maximum penalty and the average penalty will be a 0.64% payment cut for each Medicare admission (approximately \$70 per each admission). It is estimated that the penalties will save Medicare an estimated \$521 million over the next fiscal year.

It should be noted that that beginning in 2016 CMS began using a new methodology to calculate the readmission rates which is the average score over the past three fiscal years. This means many institutions will continue to face the penalties for at least one or two more years even if their readmission rate were to be corrected today. Moreover, the law requires that penalty assessments be based on average hospital performance, rather than on fixed targets. In other words, CMS assesses hospital penalties based on a curve, resulting in a certain percentage of hospitals always be penalized, regardless of improvements in national readmission rates.

Analysis of penalty data from 2013 to 2017 for 3,229 hospitals revealed that 52.4% were penalized all five years. In addition, hospitals that were penalized in the first year of the program were more likely to continue to be penalized, and to be penalized more, throughout the program. The significant financial impact on these institutions has limited their ability to meet the needs of their patients, to invest in quality improvement activities and has eroded their competitiveness.

CMS Penalty Calculations

CMS publishes a readmissions adjustment factor for each affected hospital to indicate the level of its penalty, which ranges from 0.9700 (reflecting the maximum 3% penalty for FY 2016) to 1.0000 (indicating no penalty). The penalty is assessed against Medicare base operating DRG payments for all discharges at a penalized hospital. However, CMS does not publish an estimated penalty for individual hospitals. (The avixena website www.avixena.com will allow individual hospital's rates to be calculated if CMS Certification Number [CCN] is known.) Below is a sample calculations based on the formulas laid out by CMS at: <https://www.cms.gov/Medicare/Medicare-Fee-for-Service-Payment/AcuteInpatientPPS/Readmissions-Reduction-Program.html>

- **Base Operating DRG Payment Amount:**
[case mix index × (labor share × wage index) + (non-labor share × COLA)] + new technology payments, if applicable] × total Medicare cases
[[1.3656 × (3,804.40 × 1.0537) + (1,661.69 × 1)] + 0] × 5,433 = 41,852,953

To estimate a hospital's total readmission penalty, the Medicare case-mix index can be used in place of the DRG weights for each case.

- Readmissions Payment Adjustment Amount:**
 (base operating DRG amount for all admissions × readmissions adjustment factor) – base operating DRG amount for all admissions
 $(41,852,953 \times .9765) - 41,852,953 = 983,544$

For FY 2016, 2,620 facilities were penalized. The highest penalty for a single facility was over \$3.6 Million. 49 hospitals were penalized at least \$1M in FY 2015. 38 hospitals received the maximum 3% penalty, but only two hospitals are members of both groups. In fact, eight of the hospitals experiencing over \$1M in penalties had a readmissions adjustment factor of 99% or greater, indicating a penalty of less than or equal to 1%. This demonstrates that the penalty percentage played only a small part in the total impact for a given hospital. More important drivers were the total volume of Medicare patients and the case-mix index of the provider.

In 2019 the total penalty for the hospitals which received the maximum 3% penalty was approximately \$11.6 Million, or an average of about \$305K per hospital. The minimum and maximum penalties for this group were \$20K and \$1.2M, respectively.

Due to a flaw in the language describing the calculation of the excess readmission penalty in the ACA, measures with a low overall readmission rate will cause a penalty to increase by a factor that is the inverse of the Medicare-wide readmission rate. For example, for Total Hip and/or Knee Arthroscopy, this measure has an overall readmission rate of only about 5%. Therefore, the calculation of the penalty imposes a reduction in Medicare reimbursement of approximately twenty times the payments hospitals receive for excess readmissions. It is believed this was the greatest driver of the increase in the overall FY 2015 HRRP penalty by almost \$200M. This higher overall penalty has continued in FY 2017.

It's very interesting to examine the calculations behind the HRRP as described in Section 3025 of the ACA as amended by section 10309 of the ACA.

Table-8 The MedPAC provided a simplified example of how the calculation overly penalizes providers in their June 2013 Report to Congress.

Number of admissions in Measure	100
National average readmission rate for the Measure	20%
Expected hospital readmissions	20
Actual hospital readmissions	24
Adjusted hospital readmissions	22
Excess readmissions	2
Excess readmissions ratio	1.1
Average base operating DRG payment for Measure	\$10,000

In this example, the base operating DRG payments for the two excess readmissions would be \$20,000 (\$10,000 x 2).

However, the definition of “aggregate payments for excess readmissions” in the ACA, section 3025(4)(A), is “the product, for each applicable condition, of (i) the base operating DRG payment amount for such hospital for such applicable period for such condition; (ii) the number of admissions for such condition for such hospital for such applicable period; and (iii) the excess readmission ratio...minus 1.” Based on this definition the excess readmissions ratio is multiplied by the operating DRG payments for total admissions for the measure, not the operating DRG payments related to the expected readmissions. **The result in the example above is \$100,000 [(100 x \$10,000) x (1.1000 – 1)], five times the actual payments received for the excess readmissions.**

The “aggregate payments for excess readmissions”, \$100,000 in the above example, flows into the calculation of the readmission adjustment factor. Therefore, the hospital is penalized at a much higher rate. (For the record, the actual cost of a knee arthroplasty admission in the top 20 largest cities in the US range from \$19,961 in El Paso, Texas to \$31,751 in San Francisco, California.)

Lack of Consideration for Social Determinants of Health

Although CMS adjusts for clinical risk factors (including patients’ age, gender, and comorbidities), it does not adjust for socioeconomic factors, which often play a significant role in access to home and community support services aiding a patient’s recovery after hospitalizations. For example, lower-income communities and families may have limited resources for reliable transportation to take patients to follow-up medical appointments, assistance with patient mobility and daily living needs during recovery, and access to foods that meet patients’ special dietary needs. Further examination of ways to address patient and community needs in lower income areas has offered insights into ways to lower hospital readmissions among patients in hospitals with higher shares of low-income patients. It should be noted that CMS recently has proposed to implement the socioeconomic adjustment approach mandated by the 21st Century Cures Act for the FY 2019 HRRP. Under this proposal, CMS would assess penalties based on a hospital's performance relative to other hospitals with a similar proportion of patients who are dually eligible for Medicare and Medicaid.

Improving Medicare Post-Acute Care Transformation Act of 2014

Lack of substantial improvement which is largely attributed to ineffective transition to post-discharge led to enactment of “Improving Medicare Post-Acute Care Transformation Act of 2014”, which required development of new ways to track sharing of drug information between providers as well as between clinicians and patients. The CMS is accepting comment through May 8 of 2018 on what it **formally calls** "Transfer of Health Information and Care Preferences When an

Individual Transitions." The two proposed measures are Medication profile transferred to provider, and Medication profile transferred to patient.

The goal of the CMS' effort is to make providers more accountable for transferring important medication information such as dose and frequency, according to the agency. When a resident is discharged home, the second measure would track the transfer of medication information from a provider to the patient, family or caregiver.

It is yet to be determined how CMS will enforce compliance with the new rules, and how it will address poor performance

Potential Implications of Expanding the Hospital Readmissions Reduction Program to the Inpatient Psychiatric Facility Prospective Payment System

The potential for decreased costs and increased quality of care may make policymakers want to expand the HRRP to other inpatient settings. Of the total 470,399 psychiatric discharges in CY 2010, 147,443 were readmissions from either a freestanding Inpatient Psychiatric Facility (IPF) stay or psychiatric unit. Thus, the overall readmission rate was 31.4%. Of the many reasons to implement a hospital readmission penalty program, one of them is to ensure and improve quality of care received by the patients. Maintaining the quality of care furnished to patients with serious mental illnesses may require looking beyond the IPF stay. CMS has developed various initiatives to ensure quality of care. For example, the ACA mandated the development of a quality reporting program for IPFs by 2014, which included a payment incentive. For rate year 2014 and beyond, annual Medicare payment updates were reduced by 2.0% for any freestanding IPF or psychiatric unit paid under the IPF Prospective Payment System (PPS) that did not comply with quality data submission requirements.

Readmission Rise in 2014 and 2015

Many health systems noticed a 1-2% increase in their readmission rates in 2014 and 2015. The increase affected all hospitals across the US, including many health systems with robust readmission management programs. The increase was attributed to several factors such as changing demographics (retiring baby boomers joining Medicare), expansion of Medicaid programs, and access to care for the previously insured. However, no solid data are available to validate these assertions. The preliminary data indicated that the readmission rate rise did not abate in 2016.

Medicare's Bundled-payment Expansion

Bundled payment is a single payment to providers or health care facilities (or jointly to both) for all services to treat a given condition or provide a given treatment. In simple terms, the payer makes one single payment to multiple providers in the care. Bundled payments usually cover all costs associated with a procedure or treatment up to 90 days post discharge and would include readmissions. The idea is to create a financial incentive for providers to better coordinate care and keep costs down.

The CMS was planning to implement a five-year demonstration project on July 1, 2017 in 98 randomly selected metropolitan areas. The project would make hospitals in 98 markets financially accountable for the cost and quality of all care associated with coronary bypass surgery and heart attacks. The CMS also planned to expand its first and mandatory bundled-payment model which took effect in January 2016 and covered total hip and knee replacements to include surgeries repairing hip and femur fractures.

The proposed change came as part of a broader nationwide shift toward value-based payment systems that aimed to reward physicians, hospitals and other providers for quality over quantity of care. The CMS had aimed by 2018 to have half of FFS Medicare payments in value-based payment models. However, in February 2017 the HHS Secretary delayed the effective date of the program, despite a very strong support from the American Medical Association.

New Public Reporting Requirements

CMS expanded the publicly reported outcome measures to include 30-day readmissions in 2009. In addition, CMS requires hospitals to post their readmission rates for Medicare and all other payers on its website. CMS believes that publicly reporting these measures increases the transparency of hospital care, provides useful information for consumers choosing care, and assists hospitals in their quality improvement efforts. In addition to negative public relations impact, public reporting of readmission rate can be detrimental to hospitals' all other lines of business and services, and overall competitiveness.

What Is at Stake?

Recent reports indicate that in most US hospitals lose money from Medicare and Medicaid admissions. In 2013 Medicare losses were reported to be three times higher than Medicaid. The average hospital profit margin on Medicare patients was at negative 10%, and it is closer to negative 18% for the three-quarters of hospitals that lost money on their Medicare business. Intense pressure from the Medicare program on hospitals will invariably worsen in the coming

years ahead. Hospitals must act now to prevent an already bad situation from getting worse and possibly even threatening their viability.

Implementing a Readmission Prevention Program

There is no doubt that CMS will expand the readmissions reduction program. Therefore, it is highly recommended that hospitals and health systems develop a readmission reduction and/or prevention process. Readmission prevention is a complex task, and it should become an ongoing effort, not a short-term project that ends after results improve.

Root Cause Analysis

The majority of APU readmissions result from a combination of healthcare delivery systematic issues and individual patient attributes.

System issues:

- Failure to accurately identify individuals who are at high or medium risk for readmission
- Lack of evidence-based assessment tools for Pediatric and Behavioral Health populations
- Lack of system support to create and execute post discharge care plans
- Lack of information continuity
- Lack of interoperability amongst Electronic Health Record Systems
- Lack of analytic support needed for organizational learning

Individual patient attributes:

- Clinical factors that lead to readmissions:
 - o Disease burden
 - o Inability to adhere to and comply with a treatment plan
 - o Lack of timely follow-up
 - o Coexisting Behavioral Health diagnosis
- Non-clinical factors that lead to readmissions:
 - o Poor access and availability of care
 - o Low health literacy
 - o Lack of adequate support structure
 - o Lack of information continuity

Where to Start?

To reduce readmissions, hospitals should create a multidisciplinary team, including individuals who are committed to reducing readmissions and represent different stakeholders who can influence readmissions. Participants might include employees from partner entities outside the primary organization, such as skilled nursing facilities' staff, patients and their caregivers, physicians and providers, community stakeholders, payers, and Durable Medical Equipment (DME) and technology vendors.

Goals and Objectives

The process team should be tasked with clear goals and objectives. These include defining a plan for implementing change, reducing readmissions, and monitoring performance. The federal program currently focuses only on patients admitted with heart failure, acute myocardial infarction, pneumonia, COPD and elective total knee/hip arthroplasty. However, the inevitable expansion of the program will include additional conditions or diagnoses, and this should motivate hospitals to begin work on all readmissions rather than on specific conditions or diagnoses.

Selection of Strategies

After the work group is established, the team might use several strategies to achieve its goals, such as:

- Developing a better understanding of the problems
- Identifying patients at increased risk for readmission
- Preparing standardized discharge education tools
- Implementing an effective Transitions-of-Care Program
- Coordinating care with community home care agencies, physician groups, skilled nursing facilities, other community hospitals and payers

Understanding the Problem

It is tempting to start implementing changes in multiple areas simultaneously but doing so might be a waste of resources. Consequently, the first task for the management team is to understand the scope of the hospital's problem. One critical task is to evaluate the financial impact of the hospital's current performance (the penalty for excessive readmissions). This analysis should not only measure the effect of the current year's penalty, but also consider the impact on future years.

Other outcomes such as negative publicity, impact on future growth, market competitiveness and staff retention should also be completely reviewed and analyzed.

Identifying Patients at High Risk for Readmission

Case Management departments should have processes in place to identify patients at high- or moderate-risk for readmission and prioritize discharge planning for these patients. The risk factor includes, but are not limited to:

- Behavioral health diagnoses
- Substance use disorder
- Three or more ED visits in a two-month period
- High-risk medications (anticoagulants or diuretics)
- Polypharmacy (more than six medications)
- Multiple chronic diseases
- High or low body mass index
- Leaving against medical advice
- Social determinants of health

Interventions

After patients are identified to be at high or moderate risk for readmission, specific interventions should be included in these patients' discharge plans.

Standardizing Discharge Activities and Educational Tools

Reducing readmissions is not just a concern for case managers. Because patient education is a primary responsibility of the nursing staff, nurses should be educated on the high-risk factors as well as on actions that can be taken to avoid readmission. These actions include:

- Educating and re-educating patients and their caregivers
- Assessing patients' understanding of their care requirements
- Assessing patients' awareness of early warning signs that require immediate notification to their physicians
- Beginning discharge education as soon as the patient and caregiver can cooperate
- Providing a comprehensive plan prior to discharge, including the following components:
 - medication reconciliation
 - Arranging for follow-up appointments and tests prior to discharge
 - Post-discharge services set-up
 - A written discharge plan; instructions on what to do if a problem arises
 - Disease specific education
 - A discharge summary sent to the patient's primary care provider and/or specialist.
- In many cases, providing ongoing education throughout the hospitalization and for 24 to 48 hours after discharge has proven to be beneficial for patients. Patients should be educated regarding the importance of keeping their own medical journals to include their medications, test results and hospitalizations.
- Ideally, a pharmacist should also be involved in patient education and medication reconciliation at discharge. Case managers need to verify that:
 - Patients have all their medications and that they understand why they are

- taking those medications
 - They grasp the importance of taking the medications as prescribed
 - They understand any potential side effects
 - Degree of caregiver and family support
- While the patient is still in the facility, all care providers should ensure that patients and caregivers are educated about the disease process. Discharge instructions can also be offered on the hospital's website so that patients can access this information at home and more fully understand the instructions. Hospitals can also use their websites to promote ongoing communication with patients, to answer questions and to provide more clinical education. Each of these steps will improve patient outcomes, increase customer and provider satisfaction, and reduce readmissions.

Transition-of-Care Programs

Over 22 percent of all hospital discharges, or nearly eight million patients, received post-acute care services in 2013, and Medicare expenditure for post-acute services is estimated to be around \$60 Billion annually (12 percent of its annual expenditure). But nonetheless, despite the critical importance of post-acute care outcomes and financial implications, very few patients and their caregivers are familiar with it. Many health systems and providers have only elementary understanding of post-acute care services and give little thought to where their patients are heading after discharge, if it does not extend the acute LOS. Needless to say, that this lack of understanding correlates well with limited infrastructure deployed to manage post-acute care services. In addition, Medicare, Medicaid, and most Commercial health plans, generally take little notice of the differences in services across post-acute providers and service lines.

Hospitals must either collaborate with managed care organizations' Case Management Departments or develop a transition-of-care work group to include home health care agencies, skilled nursing facilities, long-term acute care hospitals, rehabilitation hospitals, DME vendors and community providers. Standardized intervention and education tools will result in hospital, physician, home health agency and skilled nursing facilities all using the same language and documents to educate and instruct the patients.

Additionally, hospitals should try to engage home health care agencies and skilled-nursing facilities in addressing some of the causes of readmissions and assist with managing patients to prevent APU readmissions. Activities intended to build collaboration and reduce or prevent APU readmissions could include:

- Working with home health care agencies to develop disease-specific programs that track data and create plans to reduce readmission rates;
- Working with skilled nursing facilities to inform of the moderate and high-risk admissions prior to patient's transfers to skilled nursing facility;
- Working with skilled nursing facilities to identify reasons why patients are sent back to

the hospital and the challenges they face;

- Working with the skilled nursing facilities to provide advanced cardiac life support training, tele-monitoring links, ECGs with quick reads and access to Hospitalists to answer clinical questions instead of sending the patient directly to the ED;
- Partnering with community agencies to assist with education and access to other healthcare professionals; and,
- Working with Post-Hospital Care Providers - Although hospitals may not have influence over the clinical practices of other facilities, given the consequences of readmissions, hospitals should establish stronger working relationships with other providers to extend care beyond the hospitalization. Case Managers and Social Workers, who work with other care providers daily, need to redefine these relationships to establish better communication both preceding and following discharge. Working collaboratively with these other facilities is imperative when tracking patients who are subsequently admitted to other hospitals and when developing patient identifiers. This tracking can be used for a hospital's internal quality improvement purposes as well as for validating readmission data.

In summary, readmissions have become an increasingly painful and public problem for hospitals in both financial, competitiveness and patient care related issues. All cause 30-day readmission for acute care facilities and skilled nursing facilities is 17.8% and 28.2% respectively. While no easy fix exists to prevent readmissions, hospitals can take a proactive approach by accepting readmissions as a real problem and by allocating the appropriate resources needed to fully understand the problem at hand, as well as enlisting the involvement of the many different groups that can contribute to a successful readmission prevention initiative.

Impact of Technology

Medicine is an information-rich enterprise. Federal regulation has accelerated the need for adoption of Electronic Health Records (EHR). Health care providers and administrators have been scrambling to find ways to comply. Currently, a significant portion of data and information is still collected via standard paper-based records and then entered into EHR and legacy systems. Many health care providers are now using mobile tablet and laptop systems for the purposes of eliminating paperwork and making the collection process more efficient. This adoption of technology for EHR and the use of mobile devices and apps for gathering data have opened an opportunity for apps that will not only make the process of gathering data more efficient but more importantly, provide ready access to useful information and value-added solutions that will be available to hospitals, caregivers and payers.

The impact of technology via the use of apps will also be cost avoidance with significant savings to providers and payers. This will support the triple aim of better care outcomes, reducing costs, and improved patient and provider experience with care delivery.

avixena Population Health Solutions, LLC

Mission Statement: avixena Population Health Solutions provides real-time state of the art Population Health Management support systems via Cloud-based mobile devices for Health Systems, Payers and Physicians.

Vision Statement: avixena Population Health Solutions will be the unique provider of a complete suite of applications covering the entire spectrum of cloud-based Population Health Management initiatives via mobile devices.

Founders: avixena Population Health Solutions (PHS) with offices in Tempe, Arizona was formed in 2014 by Mehrdad Shafa, MD, Mario Vassaux and Elisabeth Graf- Shafa, MD.

Products and Solutions

avixena PHS' first set of cloud-based products include the Readmission Assessment Survey Tool, Behavioral Health Readmission Assessment Survey Tool, Pediatric Readmission Assessment Survey Tool, High Risk Transfer to Extended Care Facility Tool and Readmission Root Cause Analysis Tool. These tools are designed for mobile platforms on the iOS and Android operating systems as well as traditional desktop and laptops running Windows, Apple OSX and Chrome OS. The system includes a program application (AKA app), HIPAA compliant data warehouse and real-time information availability.

These evidence-based products were developed by Dr. Shafa and Dr. Graf-Shafa based on their experience with reviewing more than 60,000 inpatient Medicare FFS, Medicare advantage, D-SNP, and Managed Medicaid admissions; 20,000 pediatric admissions; and 4,000 behavioral health admissions in Arizona, Arkansas, California, Georgia, Indiana, Maryland, Missouri, Oklahoma, South Carolina and Texas from 2007-2014. This total includes approximately 5,000 Adult, 500 Behavioral Health and 1,200 Pediatric readmissions.

- Readmission Risk Assessment Survey (RAS) Tool - This Tool is the most advanced assessment tool in its class and is designed to identify patient's readmission risk status, has a scoring system, and allows for automatic generation of options (such as a discharge plan).
- Pediatric RAS Tool - Pediatric RAS Tool has all the features described in the Adult RAS Tool but also incorporates and quantifies the effect of issues limited to pediatric population on readmissions (i.e., impact of pre-term birth, genetic conditions, congenital malformations, immunization status, impairment of growth and development, and

caregiver's mental health status). The Pediatric RAS Tool was developed based on Dr. Shafa's experience with two of the largest Pediatric-only managed care organizations in the US.

- Behavioral Health RAS Tool - The Behavioral Health RAS Tool has all the features described in Adult RAS Tool and is the only tool of its kind that identifies and incorporates the impact of age, previously diagnosed behavioral health conditions, and discharge destination on readmissions.
- Extended Care Facility Transfer Readmission Risk Assessment (TRRA) Tool - This Tool is designed to alert and assist extended care facilities with managing moderate- and high- risk patients prior to transfer from the acute care setting. The same methodology was used to develop and validate its effectiveness as was used for the RAS Tools.
- Readmission Root Cause Assessment (RRCA) Tool - This Tool was designed to assess root causes and contributing factors that have resulted in readmissions and automatically creates an action plan to mitigate and manage the identified issues.

The avixena PHS apps were fully designed to work with Legacy IT systems. To validate the RAS and TRRA Tools, approximately 700 adult, 500 pediatric and 250 behavioral health readmissions were assessed. Each question was evaluated for validity, applicability, ease of assessment and up-to-date medical evidence. The results indicate that all Tools have a specificity, sensitivity and positive predicting value of >90% for identification of patients who are at high-risk for readmission.

Technical Specification of RAS and TRRA Tools - The apps and infrastructure to support these tools are built with the following attributes:

- Secure cloud-based application servers
- Web app support for modern desktop and mobile browsers including Chrome, Internet Explorer, Firefox and Safari
- Native app support for mobile and desktop devices including those operating on the iOS, Android, Windows, Mac OSX and Chrome OS platforms
- HIPAA-compliance
- Integration-capable with existing EHR/EMR and legacy systems
- RESTful HTTP API to integrate features into custom applications
- Feature rich reporting and analytics
- Simple web-based user administration

avixena Tools Descriptions - avixena tools cover 4 major domains:

- 1- **Re-admission Prevention**- For identification and management of avoidable, preventable and unnecessary acute inpatient (General Medical, Behavioral, Pediatric and NICU) and subacute admission.
- 2- **Transition of Care**- For appropriate management of post discharge and through reestablishment of care with outpatient providers.

- 3- **Community Care**- For appropriate assessment of care needs and to provide an accurate and comprehensive plan to stabilize health status.
- 4- **Perinatal Care**- 2 specific tools for screening and referral of high-risk pregnancies, and assessment of postnatal depression.


Examples of How avixena PHS Tools Can Be Used to Prevent Readmissions

The following real-life examples demonstrate effectiveness and accuracy of avixena PHS Tools:

- **Sample Case for RAS Tool**

85-year-old patient with the diagnosis of dementia and chronic atrial fibrillation controlled on Coumadin was brought to ED from his assisted living facility. He was admitted with the diagnosis of aspiration pneumonia 8 days ago. He has had 2 previous admissions and 3 ED visits in the past year for the same reason. In addition to right lower lobe pneumonia, he is found to have mild anemia of 9 grams/dL and a serum albumin of 2.5 grams/dL. Hospital social worker is working with Special Need Plan (SNP) case manager to facilitate discharge to an Extended Care Facility (ECF) for one week to complete his IV antibiotics. His Power of Attorney (POA) is his son who was contacted by phone and approved the transfer.

It may appear that this patient’s problem is a simple and uncomplicated case of aspiration pneumonia, and all he needs is to complete one week of IV antibiotics. However, **if assessed with the RAS Tool this patient has a high score and is at high-risk for readmission.** A snapshot of the Tool is presented below:



- **Sample Case for Extended Care Facility Transfer Readmission Risk Assessment (TRRA) Tool**

The patient described in the RAS Tool was accepted by the ECF for one week of IV antibiotics. His discharge orders and antibiotics regimen were faxed to the ECF. Discharge summary was not available and was to be faxed to the ECF in 3 days after dictation by the hospitalist. Upon arrival to ECF the admitting physician verbally approved continuation of previous medications and the nurse practitioner was to

perform a complete H&P on the third day of admission.

On the second day of stay in ECF, patient was found to be very agitated and required constant supervision. He was later found to be very tachypneic with bedside oximetry of 82% on room air. EMS was activated, and patient was transported back to the originating hospital ED.

By using the TRRA Tool, this member would have been identified to be at very high risk for readmission from the ECF since important factors (i.e., the need for complete discharge plan and medication reconciliation) had not been communicated to the ECF. A snapshot of the Tool for another case is presented on the following page:

18. Is there a reliable mechanism to report changes in patient's status to clinicians post discharge to home?

Yes No

Assessment

23
Medium Risk for

- **Sample Case for Readmission Root Cause Analysis (RRCA) Tool**

Following readmission to the hospital, it was discovered that the patient had suffered another episode of aspiration pneumonia affecting RUL and LLL. The RRCA Tool should be completed for this patient to prevent another readmission. The RRCA Tool can identify the failed steps that resulted in readmission and can provide a work plan that should be implemented to prevent avoidable future ED visits and inpatient readmissions. A snapshot of the Tool is presented next:

Assessment

- Plan of care was not adequate to meet patient's needs after discharge from hospital
- The patient was not identified as a High Risk for Readmission.
- Necessary follow up arrangements were not made prior to discharge

- **Sample Case for Pediatric RAS Tool**

A 5-month-old male infant was admitted to the hospital 5 days ago with fever and irritability. Full work-up revealed a urinary tract infection due to E. coli and was treated with IV ceftriaxone. A PICC line was placed, and he is being discharged home with IV antibiotics for 9 more days. A urology appointment was made prior to discharge. He was born premature at 28 weeks and was in the NICU for 8 weeks. While in NICU he had three generalized seizures and was started on antiepileptic medication with good results. He also has a diagnosis of bronchopulmonary dysplasia and is currently on Lasix, Albuterol treatments and oral Iron supplementation. He has been taken to the ED on 3 different occasions since discharge for minor issues and was later admitted for bronchiolitis 4 weeks after he was discharged from the NICU. He is currently in custody of his aunt after Child Protective Services (CPS) removed him due to neglect because of his mother's mental health and substance abuse issues. Despite a good appetite, his weight gain has dropped 5 percentiles compared to his 4-month visit's weight measurement. He did not receive his 4-month immunizations due to family's unreliable transportation.

It may appear that this patient's problem is a simple and uncomplicated urinary tract infection and that there are no other issues beside the need for IV antibiotics. However, **if assessed with the Pediatric RAS Tool, this patient has a high score and is at high-risk for readmission.** A snapshot of the Pediatric RAS Tool is presented:

13. Caregiver/Guardian with history of mental health or substance abuse issues 

Yes	No
-----	----

14. Home pulse oximetry monitor use 

Yes	No
-----	----

- **Sample Case for Behavioral Health RAS Tool**

A 27-year-old homeless man with history of uncontrolled mood disorder was brought to the ED by law enforcement after an altercation with another homeless person. He had been to the ED five times in the past three months. He was admitted to the inpatient setting six months before but he self-discharged against medical advice. He is now stabilized and is being discharged to a group home. The Social Worker is assisting him with arranging follow-up visits with a Community Health Center within 30 days of discharge and obtaining temporary supply of his medications.

It may appear that this patient’s major issues such as medication treatment and homelessness have been adequately managed. However, **if assessed with the Behavioral health RAS Tool, this patient has a high score and is at high-risk for readmission.** A snapshot of the Tool is presented below:

The screenshot displays two questions from the Behavioral Health RAS Tool. Question 29, 'Discharge Destination', has four radio button options: 'Another care facility', 'Residential facility', 'Home', and 'Homelessness'. The 'Home' option is selected, indicated by a blue highlight. Question 30, 'Is patient being discharged against medical advice or emergency discharge?', has two radio button options: 'Yes' and 'No'. The 'No' option is selected, indicated by a blue highlight.

The avixena PHS’ Difference

The commonly used readmission assessment tools are unsophisticated, are not based on solid medical evidence, are highly dependent on post-service claims and risk adjustment data, are not very actionable, and are mainly designed for adult populations. The avixena PHS’ RAS, Pediatric RAS, Behavioral Health RAS and TRRA Tools are the first in their class of service, providing a previously unexplored approach to readmission prevention by offering several unique features to successfully tackle the following issues:

- Accurate Identification of Patients at High Risk for Readmission - The RAS Tools are cloud-based applications (proprietary technology) with the following features:
 - o Real-time
 - o HIPAA-compliant
 - o Use of the most innovative and advanced technologies
 - o Compatible with Legacy Systems
 - o Engineered to be extremely user friendly
- Evidence-based - Development of the Survey Tools involved exhaustive medical literature review and obtaining input from the leading clinicians and population health management experts. It must be noted that every survey question has been rigorously tested and validated. The Tools are regularly updated to ensure accuracy and completeness.

- Differentiated Products - avixena PHS has developed specific survey tools for Adult, Pediatric and Behavioral Health admissions.
- Information Continuity - All avixena PHS Tools can be accessed by multiple authorized providers, at different care settings, who are in different organizations. All Tool contents are updated in real time.
- Process Reengineering - avixena tool development did not automate paper-based operation but rather involved an in-depth process evaluation using Porter's Value Chain Analysis, resulting in care transformation and creation of competitive advantage for clients.
- Lack of System Support to Create and Execute Post Discharge Care Plans - RAS, Pediatric RAS, Behavioral Health RAS, and TRRA Tools have created a paradigm shift from the current state of operations, which typically involves sending discharge orders to the receiving facility or providers, to an Actionable Care Plan which includes critical lab values, needed follow-ups, medication reconciliation and communications with other providers.
- Lack of Analytical Support to Induce Organizational Learning - RAS, Pediatric RAS, Behavioral Health RAS, and TRRA Tools have several other unique features that allow:
 - o Continuous monitoring of patient's conditions and automatic identification of any changes that have occurred since the previous assessments
 - o Simulation mode
 - o Assessment of high utilizers and identification of those at risk of readmission
 - o Enhanced reporting
 - o Data mining capability
- Differentiated Approach to Readmissions - The RRCA Tool is the only available tool that has two separate modules for patients who are readmitted from the home setting and for patients who are readmitted from ECFs.
- Patient/caregiver Access - avixena tools development is informed by the fact that patient and caregiver's involvement in the care delivery is critical for improving care outcomes. Therefore, the avixena assessment tools, when appropriate, can be simply used by lay persons with no clinical background.
- Proven Effectiveness - RAS Tools were tested by a Palliative Care Provider in Phoenix, Arizona; an Independent Physician Organization (IPA) in California; and, a large health plan with multiple lines of business in Phoenix, Arizona. Analysis demonstrated a dramatic reduction in preventable readmissions.

avixena Readmission Cost Reduction Projections (non-Medicare FFS)

Table 9- The following assumptions are based on 10,000 annual adult discharges:

Line of Business	% of Total	Case Volume	Readmission Rate	Average Cost Per Admission (\$)
Medicare Advantage	24%	2400	20%	13,500
Medicaid	20%	2000	20%	12,500
Commercial	10%	1000	10%	14,500
Uninsured	5%	500	12%	14,500

The following were not considered in cost reduction calculations:

- Medicaid, Commercial and the uninsured rates are based on the volume and no case-mix adjustment was applied
- Patients with multiple readmissions within 30 days
- ED and Observation costs
- avixena fees

Table 10 - Projected cost reductions based on 10,000 annual discharges and national average readmission rates

Line of Business	% of Total	Volume	Excess Readmission Rate	Excess Readmission Volume	Average Cost per Admission (\$)	Penalty or Lost Revenue (\$)
Medicare Advantage	24%	3600	7%	252	13,500	3,402,000
Medicaid	20%	2000	5%	100	12,500	1,250,000
Commercial	10%	1000	4%	40	14,500	580,000
Uninsured	5%	500	11%	55	14,500	797,500
Total Loses						6,029,500

Other Tools and Products

I- avixena Readmission Risk Assessment Tools

- **Readmission Root Cause Assessment (RRCA) Tool:** This Tool was designed to assess root causes and contributing factors that have resulted in a readmission and automatically creates an action plan to mitigate and manage the identified issues.
- **Extended Care Facility Transfer Readmission Risk Assessment (TRRA) Tool:** This Tool is designed to alert and assist extended care facilities with managing moderate- and high-risk patients prior to transfer from the acute care setting. The same methodology was used to develop and validate its effectiveness as was used for the RAS Tools.
- **SNF Readmission Prevention Assessment Tool:** This Tool includes generation of actionable care plan that include care needs, information continuity and care continuity for appropriate discharge and reconnecting with post-discharge providers.

II- avixena Care Transitions Tools

- **Transition of Care Tool:** Is intended to help with an effective discharge planning and to provide care information continuity following discharge from acute setting.
- **Post-admission Medication Reconciliation:** This tool creates an accurate and complete record of all medications that are taken by the patient following an admission to in- patient level of care. The survey may also be completed during transition of care process, care in the outpatient setting (hospital observation care), following transfer to another health care facility, or as part of care coordination by community providers. This Tool assists with:
 - Management PCP and pharmacy information.
 - Easy to complete medication list from a complete data base of brand and generic drugs
 - Compliance, adherence, side effects and interactions survey.
 - The reconciled medication list and generated action items can be shared with patient and other providers.
- **Home Healthcare Referral Tool:** A comprehensive tool that streamlines the process of ordering Home Healthcare services, documentation of provided services, and instructions for how to inform the ordering providers of the patient's progress.
- **Palliative Care Assessment Tool:** The only available tool that allows assessment and follow-up care for Palliative Care services. The tool also contains an action plan that allows documentation and communication for the planned interventions.
- **In-Home Social Work Assessment:** Allows social workers to perform and document an accurate and thorough in-home assessment. The assessment includes evaluation of mental, emotional, cognitive, social determinants of health and environmental factors. The app also includes a summary section which is extremely valuable as it can be used to provide feedback to the ordering practitioner and other providers involved in patient's care. This tool is designed to initiate intake and screening with careful documentation of the implemented steps and an up-to-date summary of relevant information.

III- avixena Home/Community Tools

- **PHQ-9 Depression Survey:** The PHQ-9 is the nine-item depression scale of the Patient Health Questionnaire. It is a powerful tool to assist clinicians with diagnosing depression and monitoring treatment response. The nine questions of the PHQ-9 are based directly on the nine diagnostic criteria for major depressive disorder. This tool can help track a patients overall depression severity as well as the specific symptoms that are improving or not with treatment. PHQ9 is not included in the majority of electronic health records, and this deficiency has resulted in low completion rates in the US. This tool is designed to assist practitioners to document completion of the questionnaire, identify those undiagnosed cases of depression, and promote monitoring and documentation of response to treatment.

- **Patient Follow-up App**
Is designed to assist providers to monitor and assess patients' post-visit compliance and creates a very effective tool for patients to accurately report back their status or change of condition in a timely manner. The tool is designed to allow two-way communication between patients and providers and will improve compliance with care plan and instructions, reporting back obtaining needed appointments, care outcomes, and informing providers when a patient had an ED visit or inpatient admission post encounter.
- **Post-admission Medication Reconciliation:** This tool creates an accurate and complete record of all medications that are taken by the patient following an admission to in-patient level of care. The survey may also be completed during transition of care process, care in the outpatient setting (hospital observation care), following transfer to another health care facility, or as part of care coordination by community providers. This Tool assists with
 - Management PCP and pharmacy information.
 - Easy to complete medication list from a complete data base of brand and generic drugs
 - Compliance, adherence, side effects and interactions survey.
 - The reconciled medication list and generated action items can be shared with patient and other providers.
- **Health Risk Assessment:** A comprehensive tool that captures patient's risk status, allows identification of needed preventive services and HEDIS performance measures, and dramatically reduces the need for chart reviews (e.g., embedded BMI calculator). This tool is specifically designed to be completed by either a clinician, patient or caregiver.
- **Post-op Pain Management:** This tool is designed to track and monitor patient's pain control during their recovery period. The tool allows a physician to send out an invite for patients to report back their pain control and recuperation issues to the physician.
- **Fall Risk Assessment:** This tool was designed to serve as a guide to assess the patient's fall risk factors through physical examination, observation and interaction with patient.
- **Patient Engagement Assessment:** Designed to assess Patient and/or Caregiver's engagement is a very useful tool to initiate an effective care plan in pre- to post-discharge spectrum of care.
- **Activities of Daily Living Assessment Tool:** This evidence-based tool was created to independently assess patient's mental functions, basic ADLs and industrious ADLs and is the only tool of its kind that assesses and scores patient's basic and industrious daily activities, and allows objective longitudinal comparisons. This is an evidence-based tool that allows evaluation of functional status of Activities of Daily Living (ADLs). This tool was re-designed to independently assess mental functions, basic ADLs and Industrious ADLs. In addition, the app allows long-term monitoring of change of status, and assists with provision of correct services at the most appropriate level of care.
- **Identification of High-Need/ High Risk individuals-** This Tool allows identification of individual high-need members during case management process or in aggregate for a payer to monitor this cohort.
- **Chronic Kidney disease Tool:** This evidence-based tool allows screening, referral, management and longitudinal monitoring of renal function status. It also is an excellent

means of communicating the plan of care with the referring physician or other care providers.

- **COVID-19 Apps-** avixena was the joint recipient of Second Place for Edison Award in 2021 for innovation. The first app is intended for an individual to assess their risk of COVID-19 and is available to public free of charge. The second app is designed for a telemedicine visit for a COVID-related issue, and it greatly facilitates the interaction between the patient and the clinician, and generates an automatic action plan for the clinician.
- **Social Determinants of Health (SDOH)-** Are major contributors and obstacle for members to manage their chronic conditions and other health needs. The first of its kind, and assess the top 10 SDOHs, with automatic generation of a suggested action plan. In addition, this Tool allows longitudinal monitoring of patient's status, and also allows institutions such as Community Health Centers to generate reports that will facilitate determining the network and community resources needed to meet those demands.
- **Advance Care Planning-** Advance care planning (ACP) is an ongoing conversation that involves shared decision making to clarify and document – through an advance directive – an individual's wishes, preferences, and goals regarding future medical care. This comprehensive process is critically important to ensuring patients receive the medical care they want in the event they lose the capacity to make their own decisions. This Tool allows completion of the process and availability of the information to multiple providers.

IV- avixena Perinatal Care Tools

- **High-risk Pregnancy Assessment Tool:** This tool was designed by Robert Johnson, MD, a recognized authority in Perinatal Medicine in Phoenix, Arizona. It is the first tool of its kind that allows accurate identification of high-risk pregnancies by the obstetricians, facilitates referral to perinatologists, addresses issues related to information continuity, and assists with follow-up and continuity of care with the referring obstetricians.
- **Edinburgh Postnatal Depression Scale:** The Edinburgh Postnatal Depression Scale (EPDS) is a self-report questionnaire originally designed by Cox and colleagues to screen for postnatal depression. Large community surveys have shown the EPDS to have strong validity and reliability, and the latest medical evidence indicates that the EPDS can effectively identify mothers at risk for postnatal depression as soon as at 2 to 3 days postpartum while many mothers are still in hospital. EPDS is not included in the majority of electronic medical records, and this has resulted in low use and completion rates. This tool is designed to assist practitioners to document completion of the questionnaire and identify mothers at risk for postnatal depression.
- **Clinical Practice Guidelines:** 23 one-page, evidence-based, Clinical Practice Guidelines (CPGs) for the most common and prevalent diagnoses and conditions. At present, CPG for Low Back Pain and Diabetes have been completed.

In addition, the content for the following set of custom-designed tools have been completed:

- Oasis Homecare Assessment
- Diabetic Check List
- High-risk Drugs in the Elderly
- Advance Directives

Moreover, several other tools have been identified for the next phase of development and they include:

- Action Plan to Manage High-risk Readmissions - A complimentary tool that is designed to create an action plan to manage risk factors identified in the RAS Tools.
- Individualized Care Plans - For patients that are referred to case management, this tool will serve as a ready-to-implement care plan based on the RAS Tool's findings.
- Medicare Annual Wellness Exam

Potential Business Expansion

avixena PHS' Tools can be used in a host of other healthcare settings such as:

- Chronic Care Management
- Post-ECF Discharge Care (skilled nursing facility)
- Data Mining and Predictive Modeling
- Combination with HEDIS and Five-Star Rating
- Care provided in Long-term Residential and Assisted Living Facilities

Target Markets

avixena PHS' Tools and solutions can be used by:

- Health Systems: The hospital industry has the largest exposure to the negative financial impact of readmissions. However, most of health systems lack a well-articulated vision statement that focuses on improving patient care and describes how technology can help achieve this objective. As a result, there is very limited use of mobile devices other than those which only include communication and patient locations.
- Post-acute Care Providers: Post-acute care includes care delivered at or by long-term acute care hospitals, skilled nursing facilities, inpatient rehabilitation facilities, and hospice and home health and is often described as "fragmented and siloed" from the rest of the health care system. A report by the Institute of Medicine indicates that 73% of variation in total Medicare spending is due to utilization of post-acute care services. As the industry moves

from volume to value-based purchasing, this section of the industry will inevitably be targeted for regulators to improve care and generate savings.

- Health Plans: Medicare Advantage health plans have the second largest financial exposure relative to readmissions but nonetheless, the use of smart phones and mobile devices for healthcare initiatives is almost non-existent in the health insurance industry. Several State Medicaid Agencies and Commercial payers have implemented readmission prevention programs as part of payment reform initiatives included in the ACA.
- ACOs that participate in Medicare Shared Saving Program (MSSP). These ACOs have tremendous exposure to the financial impact of readmissions because included in MSSP ACO quality measures is the population all-conditions readmission rate.
- Self-Funded Employers: Employee Health benefit is the second highest cost expenditure for US businesses. Escalating healthcare costs directly affect the competitiveness and financial health of all segments of US industries.

What is avixena PHS' Competitive Advantage?

In a nutshell, the suite of avixena PHS Tools combines the most effective and proven evidence-based Population Health Management Strategies with state of the art, cloud-based, mobile device applications that provide real-time information at the point of care delivery. Presently, there are no other comparable products or services on the market that provide these very complex solutions.

Call to Action

Reducing hospital readmissions is a substantial task given financial, regulatory, and systemic constraints. While challenging, the gains may be enormous. From a systemic level, preventing APU readmissions could reduce costs and promote patient-centered, high-quality care. Given the current financial and demographic challenges facing the US Health Care Industry, elimination of waste and inefficiencies in the system are no longer an option but rather a business requirement or a necessity for business survival.



avixena

avixena population health solutions

Please contact us:

Email: mehrdad@avixena.com

Tel. (602) 541-4547

Mario@avixena.com

Tel. (480) 231-5439

Visit our website at www.avixena.com

Executive Teams' Background and Expertise

- **Mehrdad Shafa, MD, MMM, DFACMQ, Chief Executive Officer** - Dr. Shafa is a Healthcare Consultant with significant expertise in all aspects of healthcare delivery. Over the past 15 years, Dr. Shafa has worked with twenty-eight health plans in seven states and District of Columbia. He has served as Chief Executive Officer and Chief Medical Officer for fourteen health plans across the US and is a recognized authority in project execution, population health management, resource utilization and medical quality management and outcomes. He also has a successful record of nine consecutive turnaround operations resulting in net gains exceeding \$1 Billion.
- **Mario Vassaux, Chief Innovation Officer** - Mr. Vassaux is a seasoned technology executive and entrepreneur with experience in the development and commercialization of intellectual property, technology and software in a variety of fields. Mr. Vassaux has advised companies developing medical applications and he developed the award-winning Track My Back App for PhDx Systems.
- **Kevin Fickenscher, MD, CPE, FACPE, FAAFP - Member of Board of Directors.** Dr. Fickenscher is a recognized physician executive and technology leader with extensive experience in strategic and operational development in complex healthcare organizations. He is a thought leader related to technology and information management with extensive experience in organizational transformation, physician management, health policy analysis, leadership development, clinical quality and resource/care management, among other areas.
- **Elisabeth Graf-Shafa, MD, MHA, FACMQ, Chief Operating Officer** - Dr. Graf-Shafa is a practicing anesthesiologist in Phoenix, Arizona and has extensive experience with Medicare, Special Needs Plans, Medicaid and Long-term Care Health Plans' utilization management in multiple states. Dr. Graf-Shafa has broad knowledge of CMS Oversight and Compliance rules and regulations.
- **Dave Balmer, Chief Technology Officer** - Mr. Dave Balmer is a 30-year veteran of software engineering who is equally at home with startups and large corporations like Wal-Mart, Yahoo, Palm, HP and BlackBerry. In addition to engineering management, his roles have included engineer, architect, mentor and speaker. Mr. Balmer's past medical software experience ranges from insurance claim management to leading mobile medical apps (Epocrates for Android and webOS).
- **Thomas Curzon, JD/Jonathan Ariano, JD, Osborn Maledon Law Firm, Chief Legal Counsel** - Mr. Curzon and Ariano are primarily focused on serving as outside general counsel to emerging, growth-oriented companies and on entrepreneurial transactions, including venture capital and other private placements of securities, entity formation and transaction structuring, mergers, acquisitions and divestitures, initial public offerings, corporate governance, licensing and distribution of software and other products, employee matters, and executive compensation.

References

- CMS penalizes 2,499 hospitals for high readmissions: 5 things to know
https://www.beckershospitalreview.com/finance/cms-penalizes-2-499-hospitals-for-high-readmissions-5-things-to-know.html?origin=CFOE&utm_source=CFOE&utm_medium=email&utm_content=newsletter&oly_enc_id=9441F9878812D6D
- Medicare Fines Half of Hospitals for Readmitting Too Many Patients
<https://khn.org/news/medicare-fines-half-of-hospitals-for-readmitting-too-many-patients/>
- Average hospital expenses per inpatient day across 50 states
<https://www.beckershospitalreview.com/finance/average-hospital-expenses-per-inpatient-day-across-50-states-02282020.html>
- CMS measures fall short of solving readmissions puzzle
http://www.modernhealthcare.com/article/20180414/NEWS/180419965?utm_source=modernhealthcare&utm_medium=email&utm_content=20180414-NEWS-180419965&utm_campaign=am
- Readmission reduction program persistently penalizes some hospitals, study finds
<http://www.beckershospitalreview.com/quality/readmission-reduction-program-persistently-penalizes-some-hospitals-study-finds.html>
- Viewing post-acute care in a new light: Strategies to drive value; Deloitte Center for Health Solutions, 2016.
- Aiming for Fewer Hospital U-turns: The Medicare Hospital Readmission Reduction Program
<http://kff.org/medicare/issue-brief/aiming-for-fewer-hospital-u-turns-the-medicare-hospital-readmission-reduction-program/>
- All-Cause Readmissions by Payer and Age, 2009–2013
<https://www.hcup-us.ahrq.gov/reports/statbriefs/sb199-Readmissions-Payer-Age.pdf>
- Overview of CMS Readmissions Penalties for 2016
<http://www.besler.com/2016-readmissions-penalties/>
- How expensive are knee replacements in the 20 largest US cities?
<http://www.beckershospitalreview.com/hospital-physician-relationships/how-expensive-are-knee-replacements-in-the-20-largest-us-cities.html>
- Hospitals must create stellar post-acute care networks to meet new Medicare payment models
<https://home.modernhealthcare.com/clickshare/authenticateUserSubscription.do?CSPProduct=modernhealthcare-metered&CSAuthReq=1:SVhKQjIQ0VittRmNTTW9lVzlr: AID:3D50C12C0E01FF9643FFAC>

[796EC270AB&AID=/20161214/NEWS/161219982&title=Hospitals%20must%20create%20stellar%20post-acute%20care%20networks%20to%20meet%20new%20Medicare%20payment%20models&CSTargetURL=http://www.modernhealthcare.com/article/20161214/NEWS/161219982?utm_source=modernhealthcare&utm_medium=email&utm_content=20161214-NEWS-161219982&utm_campaign=dose](http://www.modernhealthcare.com/article/20161214/NEWS/161219982&title=Hospitals%20must%20create%20stellar%20post-acute%20care%20networks%20to%20meet%20new%20Medicare%20payment%20models&CSTargetURL=http://www.modernhealthcare.com/article/20161214/NEWS/161219982?utm_source=modernhealthcare&utm_medium=email&utm_content=20161214-NEWS-161219982&utm_campaign=dose)

- CMS delays start of mandatory bundled-payment models
[http://www.modernhealthcare.com/section/search#stq=CMS delays start of mandatory bundled-payment models&stp=1](http://www.modernhealthcare.com/section/search#stq=CMS%20delays%20start%20of%20mandatory%20bundled-payment%20models&stp=1)
- AMA praises CMS bundled-payments program
<http://www.modernhealthcare.com/article/20110824/MODERNPHYSICIAN/308249997>
- Overview of CMS Readmissions Penalties for 2016
<http://www.besler.com/2016-readmissions-penalties/>
- Hospital Readmission Rates Drop Nationally;
<http://www.medscape.com/viewarticle/868856>
- 2014 Health Care Cost and Utilization Report
<http://www.healthcostinstitute.org/files/2014%20HCCUR%2010.29.15.pdf>
- Hospitals face record penalties as CMS expands criteria for readmissions fines in 2017
http://www.modernhealthcare.com/article/20160803/NEWS/160809964?utm_source=modernhealthcare&utm_medium=email&utm_content=20160803-NEWS-160809964&utm_campaign=dose&cm_ven=ExactTarget&cm_cat=CMH_MHDailyDose_20160803165244&cm_pla=Modern+Healthcare+Editorial&cm_ite=http%3A%2F%2Fwww.modernhealthcare.com%2Farticle%2F20160803%2FNEWS%2F160809964%3Futm_source%3Dmodernhealthcare%26utm_medium%3Demail%26utm_content%3D20160803-NEWS160809964%26utm_campaign%3Ddose&cm_lm=mehrdad%40avixena.com&cm_info=%26AdditionalEmailAttribute1%26%26AdditionalEmailAttribute2%26%26AdditionalEmailAttribute3%26%26AdditionalEmailAttribute4%26%26AdditionalEmailAttribute5%26%26
- Average cost per inpatient day across 50 states
<http://www.beckershospitalreview.com/finance/average-cost-per-inpatient-day-across-50-states-2016.html>
- The Right Care for the Right Cost: Post-Acute Care and the Triple Aim
https://www.mhainc.com/uploadedFiles/Content/Resources/MHA_Leavitt%20Partners%20White%20Paper%20091814.pdf

- Readmission Change Package, Improving Care Transitions and Reducing Readmissions, Update 2014. American Hospital Association/HRET/HEN
http://www.hrethen.org/index.php?option=com_phocadownload%26view%3Dcategory%26download%3D1232:preventable-readmission-change-package%26id%3D72:preventable-readmissions.
- Most Hospitals face 30-day readmissions penalty in fiscal 2016, CMS, August 2015.
<http://www.modernhealthcare.com/article/20150803/NEWS/150809981/most-hospitals-face-30-day-readmissions-penalty-in-fiscal-2016>
- Kaiser Health News, 364 Hospitals Have High Rates Of Overall Readmissions, New Medicare Data Show. 1/6/2104
<http://capsules.kaiserhealthnews.org/index.php/2014/01/new-medicare-data-show-hospitals-with-high-rates-of-readmissions/>.
- Center for Medicare and Medicaid Innovation, “Pioneer Accountable Care Organization Model: General Fact Sheet,” Centers for Medicare and Medicaid Services, updated September 12, 2012, page 4, Baltimore. <http://innovation.cms.gov/Files/fact-sheet/Pioneer-ACO-General-Fact-Sheet.pdf>.
- Medicare Psychiatric Patients & Readmissions in the Inpatient Psychiatric Facility Prospective Payment System Prepared For: National Association of Psychiatric Health Systems, May 2013
https://www.google.com/webhp?source=search_app#q=What+is+the+readmission+rate+to+inpatient+psychiatry&spell=1
- Average cost per inpatient day across 50 states
<http://www.beckershospitalreview.com/finance/average-cost-per-inpatient-day-across-50-states.html>
- Inpatient Psychiatric Facilities: Patient Population and readmissions. Written by Jason Shafrin, March 2014.
<http://healthcare-economist.com/2014/03/20/inpatient-psychiatric-facilities-patient-population-and-readmissions/>
- Kathy Robertson, “Study Finds Path to Big Savings on Health Care,” Sacramento Business Journal, September 7, 2012, accessed February 18, 2013.
<http://www.bizjournals.com/sacramento/print-edition/2012/09/07/study-finds-path-big-savings-health-care.html>.

- Chase Coffey, MD, "Treatment challenges after discharge," Web M&M: Mortality and Morbidity Rounds on the Web (website), Agency for Healthcare Research and Quality, December 2010. <http://webmm.ahrq.gov/case.aspx?caseID=227>.
- Gail A. Nielsen, et al, Transforming Care at the Bedside How-to Guide: Creating an Ideal Transition Home for Patients with Heart Failure. (Cambridge, MA: Institute for Healthcare Improvement; 2008).
- Society of Hospital Medicine, "Risk Specific Interventions, Boosting Care Transitions Resource Room" (website), accessed January 10, 2013. http://www.hospitalmedicine.org/ResourceRoomRedesign/RR_CareTransitions/html_C/06Boost/04_Risk.cfm#Direct.
- Teresa Chase, "How Are Hospitals Measuring SNF Performance," (American Health Tech, March 2012), accessed March 12, 2013. <http://www.maunlemke.com/pdfs/HowHospitalsMeasureSNFPerformance.pdf>.
- Patricia Hines and Bonnie Barndt-Maglio, "Reducing Hospital Readmissions," Hospitals & Health Networks Daily, February 2, 2012.
- Examining the Drivers of Readmissions and Reducing Unnecessary Readmissions for Better Patient Care, American Hospital association, September 2011.
- Jennifer Markley, BSN, RN, Vanessa Andow, BHA, Karen Sabharwal, MPH, Ziyin Wang, PhD, Emilie Fennell, MPA, and Ron Dusek, A Project to Reengineer Discharges Reduces 30-Day Readmission Rates A Texas hospital achieves improvement in its readmission rate by implementing Project RED.
- Sharon Silow-Carroll, Jennifer N. Edwards, and Aimee Lashbrook Health Management Associates, Synthesis Report, April 2011.
- Medicare Payment Advisory Commission. 2007. Report to the Congress: Promoting Greater Efficiency in Medicare. Washington, DC: Medicare Payment Advisory Commission, p. 103.
- Catlin, A. et al. "National Health Spending in 2006: A Year of Change for Prescription Drugs," Health Affairs, January/February 2008, Vol. 27, No. 1, pp. 14-29.
- Medicare Payment Advisory Commission. 2006. Healthcare Spending and the Medicare Program: A Data Book. Washington, DC: Medicare Payment Advisory Commission, p. 9.
- Medicare Payment Advisory Commission. 2007. Report to the Congress: Promoting Greater Efficiency in Medicare. Washington, DC: Medicare Payment Advisory Commission, p. 103.

- Personal Communication with Stephen F. Jencks, M.D., M.P.H., Mark V. Williams, M.D., and Eric A. Coleman, M.D., M.P.H., April 2008.
- Medicare Payment Advisory Commission. 2008. Report to the Congress: Reforming the Delivery System. Washington, DC: Medicare Payment Advisory Commission, p. 87.
- Benbassat, J. and M. Taragin. "Hospital Readmissions as a Measure of Quality of Health Care," Archives of Internal Medicine, Vol. 160, No. 8, 2000, pp. 1074-81.
- Kind, A. et al. "Bouncing Back: Patterns and Predictors of Complicated Transitions Thirty Days after Hospitalizations for Acute Ischemic Stroke," Journal of the American Geriatrics Society, Vol. 55, No. 3, March 2007, pp. 365-73.
- <http://online.wsj.com/article/SB10001424052748704281504576325163218629124.html>
- Aetna, "Aetna, Genesis HealthCare Take Aim at Preventing Hospital Readmissions," news release, August 10, 2011.
http://www.aetna.com/news/newsReleases/2011/0810_Aetna-Genesis_HospitalReadmissions.html.
- <http://www.hhnmag.com/hhnmag/HHNDaily/HHNDailyDisplay.dhtml?id=8620007299>
- Centers for Medicare & Medicaid Services. 2008. Medicare Claims Processing Manual. Chapter 12, Section 30.6.5. Revised 1150.
www.cms.hhs.gov/manuals/Downloads/clm104c12.pdf.
- 20 Kripalani, S. et al. "Promoting Effective Transitions of Care at Hospital Discharge: A Review of Key Issues for Hospitalists," Journal of Hospital Medicine, Vol. 2, No. 5, September/October 2007, pp. 314-23.
- Naylor, M.D. et al. "Comprehensive Discharge Planning and Home Follow-up of Hospitalized Elders," Journal of the American Medical Association, Vol. 281, No. 7, February 17, 1999, pp. 613-20.
- 22 Coleman, E. et al. "The Care Transitions Intervention," Archives of Internal Medicine, Vol. 166, 2006, pp. 1822-8.
- "Reducing Hospital Readmissions for Congestive Heart Failure Patients," Performance Snapshots, The Commonwealth Fund, December 2006.
www.commonwealthfund.org/snapshotscharts/snapshotscharts_show.htm?doc_id=378795.

- Medicare Payment Advisory Commission. 2008. Report to the Congress: Reforming the Delivery System. Washington, DC: Medicare Payment Advisory Commission, p. 87.
- “CMS Awards Contracts for Quality Improvement Organizations’ 9th Statement of Work,” Fact Sheet, Centers for Medicare & Medicaid Services, August 2008.
www.cms.hhs.gov/QualityImprovementOrgs/downloads/9thSOWAnnouncement080508.pdf.
- Medicare Payment Advisory Commission. 2007. Report to the Congress: Promoting Greater Efficiency in Medicare. Washington, DC: Medicare Payment Advisory Commission, p. 107.
- Medicare Payment Advisory Commission. 2007. Report to the Congress: Promoting Greater Efficiency in Medicare. Washington, DC: Medicare Payment Advisory Commission, p. 108.
- Fisher, E. et al. “Hospital Readmission Rates for Cohorts of Medicare Beneficiaries in Boston and New Haven,” *New England Journal of Medicine*, Vol. 331, No. 15, October 13, 1994, pp. 989-95.
- Commission on a High Performance Health System. “State Scorecard Data Tables.” Supplement to *Aiming Higher: Results from a State Scorecard on Health System Performance*. The Commonwealth Fund, June 2007.
- Wennberg, J.E. et al. 2008. *Tracking the Care of Patients with Severe Chronic Illness: The Dartmouth Atlas of Health Care 2008*. Lebanon, NH: The Dartmouth Institute for Health Policy and Clinical Practice, p. 115.
- Quartiles were determined based on percentiles used in the Dartmouth Atlas Hospital Care Intensity Index for States.
- Wolff, J. et al. “Prevalence, Expenditures, and Complications of Multiple Chronic Conditions in the Elderly,” *Archives of Internal Medicine*, Vol. 162, No. 20, 2002, pp. 2269-76.
- Pham, H.H. et al. “Care Patterns in Medicare and Their Implications for Pay for Performance,” *New England Journal of Medicine*, Vol. 356, No. 11, March 15, 2007, pp. 1130-9. <http://www.ncbi.nlm.nih.gov/pubmed/22588167>
- <http://www.piperreport.com/blog/2011/06/25/hospitalizations-for-mental-health-and-substance-abuse-disorders-costs-length-of-stay-patient-mix-and-payor-mix/>